

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((label adj switched adj path) and (label near2 request\$3) and (label near2 allocat\$3) and (path near2 learn\$3) and (request\$3 near2 release\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((label adj switched adj path) and (label near2 request\$3) and (label near2 allocat\$3) and (path near2 learn\$3) and (request\$3 near2 release\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:04
S1	9376	370/254-258,389,400,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 19:51
S2	3189	label adj1 switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:06
S3	466	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 19:52
S5	2380	((multi adj1 protocol) or multiprotocol) with S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 19:55
S6	16	(label\$1 near allocat\$3) same S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:18
S7	49	(label\$1 near allocat\$3) same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:18
S8	1551	S2 same path\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:06
S9	993	label adj1 switch\$3 adj1 path\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:07
S10	94	(label near2 request\$3) same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:14

S11	5	(releas\$3 with allocat\$3 with path\$2) same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:16
S12	18	(label\$1 near2 allocat\$3) same S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:18
S13	56	(label\$1 near2 allocat\$3) same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:45
S14	66	@ad<"20000412" and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/18 20:45